



1945 S Fremont Drive  
 Salt Lake City, Utah 84104  
 Phone: 801.973.8824  
 www.dyadlabs.com

### Certificate Of Analysis

603 North 2000 West  
 Unit C  
 Springville, UT 84663

#### Analytical Testing Results

Customer Lot 2008010A  
 Description Pavate 2000mg Pain Blend

Method ^ AOAC 993.14/GL-500

Analysis  
 Arsenic (As)  
 Cadmium (Cd)  
 Lead (Pb)

Method ^ EPA 7473/GL-585

Analysis  
 Mercury (Hg)

Method ^ USP <2021>/GL-411

Analysis  
 Aerobic Plate Count

Method ^ AOAC 991.14/GL-420

Analysis  
 Coliforms

Method ^ USP <2022>/GL-423

Analysis  
 E. coli

Method ^ USP <2022>/GL-461

Analysis  
 Salmonella

Method ^ USP <2022>/GL-441

Analysis  
 Staphylococcus aureus

Method ^ AOAC 2014.05/GL-451

Analysis  
 Yeasts and Molds

Certificate ID 108205  
 Report Date 08-21-2020  
 Customer PO  
 Receipt Date 08-18-2020  
 Test Completion Date 08-21-2020

PASS

Lab Sample ID 575304  
 Serving Size N/A

Test Type ICP-MS

Specification	Result	U/M
Report	<0.016	ppm
Report	<0.008	ppm
Report	<0.009	ppm

Test Type DMA

Specification	Result	U/M
Report	<0.001	ppm

Test Type Aerobic Plate Count

Specification	Result	U/M
Report	<10	cfu/mL

Test Type Coliforms

Specification	Result	U/M
Report	<10	cfu/mL

Test Type E. coli

Specification	Result	U/M
Negative	Negative	U/M

Test Type Salmonella

Specification	Result	U/M
Negative	Negative	U/M

Test Type Staphylococcus aureus

Specification	Result	U/M
Negative	Negative	U/M

Test Type Yeasts and Molds

Specification	Result	U/M
Report	<10	cfu/mL




1945 S. Fremont Drive  
Salt Lake City, Utah 84104  
Phone: 801.973.8824  
www.dyadlabs.com

Laboratory Comments:

Certificate ID#: 108205

Reviewed By: Erik Richter

Approved By:   
Edgar Grigorian, VP of Technical Affairs  
On Behalf of Dyad Labs

**Laboratory Notes:**

Samples were received in acceptable condition unless otherwise noted in the laboratory comments section. This report may not be distributed or reproduced except in full, without written permission from Dyad Labs. Client shall not at any time misrepresent or alter the contents of this report. Any violation of these conditions voids this report. Dyad Labs assumes no responsibility, and client hereby waives all claims against Dyad Labs, for interpretation of such results. The results apply only to the sample(s) provided by the client. All work is done in accordance with Dyad Labs Terms and Conditions of Sale. Full text available on [www.dyadlabs.com/Terms](http://www.dyadlabs.com/Terms)

**Result Symbol Definitions:**

^ = ISO 17025 certified method

\* = Analysis performed at a subcontract location